

VX-VeSion Mobile Client App

For Android or iOS mobile devices

Installing and updating software:

- Formerly called VeSion Alarms app
- Download and install the VX-VeSion mobile application:
 - from the Apple® AppStore <https://apps.apple.com/us/app/veex-vesion/id1631280470>
 - from Google Play Store https://play.google.com/store/apps/details?id=com.VeEX.vesion_alarms
- Alternatively use the QR code on: <https://www.veexinc.com/apps>

Software version 1.2.10 Build 62

May 18, 2023

Release Scope:

General Release. For VeSion RF systems only.

Requires:

- VeSion Server version: 4.2.3.24823 or later
- VeSion CX180F Server version: 3.1.8.24823 or later
- VeSion CX180R Server version: 3.1.7.24823 or later
- VeSion CX280X Server version: 3.1.2.24823 or later
- VeSion CX380X Server version: 3.1.8.24823 or later

New Features and Improvements

1. Added support for CX180R+ (requires VeSion server 4.3.3.25525 and CX180R server 3.2.0.25525 or later).
2. Added home icon.
3. Fixed an issue where the Search function did not work with pre-CX180R+ servers.
4. Temporarily removed notification bubble.

Known issues or limitations:

- a. Requires Android version 10 or higher.
- b. Requires iOS version 12 or higher.

Software version 1.2.4 Build 41

August 26, 2022

Release Scope:

General Release. Limited availability. For VeSion RF systems only.

Requires:

- VeSion Server version: 4.2.3.24823 or later
- VeSion CX180F Server version: 3.1.8.24823 or later
- VeSion CX180R Server version: 3.1.7.24823 or later
- VeSion CX280X Server version: 3.1.2.24823 or later
- VeSion CX380X Server version: 3.1.8.24823 or later

New Features and Improvements

1. Added support for servers with HTTPS self-signed certificate.

Known issues or limitations:

- a. Requires Android version 10 or higher.
- b. Requires iOS version 12 or higher.

Software version 1.2.3 Build 40

July 19, 2022

Release Scope:

General Release. Limited availability. For VeSion RF systems only.

Requires:

- VeSion Server version: 4.2.3.24823 or later
- VeSion CX180F Server version: 3.1.8.24823 or later
- VeSion CX180R Server version: 3.1.7.24823 or later
- VeSion CX280X Server version: 3.1.2.24823 or later
- VeSion CX380X Server version: 3.1.8.24823 or later

New Features and Improvements

1. Fixed display issue when iOS display is in dark mode.
2. Added overtyping function to Settings > Return > Frequency input.

Known issues or limitations:

- a. Requires Android version 10 or higher.
- b. Requires iOS version 12 or higher.

Software version 1.2.1 Build 36

May 31, 2022

Release Scope:

General Release. Limited availability. For VeSion RF systems only.

Requires:

- VeSion Server version: 4.2.3.24823 or later
- VeSion CX180F Server version: 3.1.8.24823 or later
- VeSion CX180R Server version: 3.1.7.24823 or later
- VeSion CX280X Server version: 3.1.2.24823 or later
- VeSion CX380X Server version: 3.1.8.24823 or later

New Features and Improvements

1. Added support for Return Path Monitoring and On-Demand.
2. Added Indoor/Outdoor trace setting for Return Path Monitoring.
3. Added general settings for Return path.
4. Merged Notification Settings and Return Path Settings under General Settings menu.
5. Improved Port/Node search speed.

Known issues or limitations:

- a. Requires Android version 10 or higher.
- b. Requires iOS version 12 or higher.

Software version 1.1.5 Build 22

April 1, 2022

Release Scope:

General Release. Limited availability. For VeSion RF systems only.

Requires:

- VeSion Server version: 4.2.3.24823 or later
- VeSion CX180F Server version: 3.1.8.24823 or later
- VeSion CX180R Server version: 3.1.7.24823 or later
- VeSion CX280X Server version: 3.1.2.24823 or later
- VeSion CX380X Server version: 3.1.8.24823 or later

New Features and Improvements

1. Added support for URL with a specified port.

Known issues or limitations:

- a. Requires Android version 10 or higher.
- b. Requires iOS version 12 or higher.

Software version 1.1.4 Build 21

February 22, 2022

Release Scope:

Initial Release. Limited availability. For VeSion RF systems only.

Requires:

- VeSion Server version: 4.2.3.24823
- VeSion CX180F Server version: 3.1.8.24823
- VeSion CX180R Server version: 3.1.7.24823
- VeSion CX280X Server version: 3.1.2.24823
- VeSion CX380X Server version: 3.1.8.24823

New Features and Improvements

1. Added Alarms and Datalog – Allows users to search and view alarms.
2. Added Alarm and On-Demand link support in alarm detail dialog.
3. Added Notifications Settings menu – Allows users to customize their alarms notification preferences.
4. Added Scope filter – Allows users to select Org Chart scope for Alarms notifications.
5. Added push notifications – Allows users to receive mobile alarms push notifications.
6. Added Search function – Allows users to search and favorite ports.
7. Added VeSion Web On-Demand viewer – Allows users to access VeSion web mobile site for On-Demand tests from the app.
8. Added functionality allowing users to stay signed on after app termination.
9. Added ability to store multiple VeSion server logins.

Known issues or limitations:

- a. Requires Android version 10 or higher.
- b. Requires iOS version 12 or higher.



© 2023 VeEX Inc. All rights reserved.

VeEX, VePAL, ReVeal, VeExpress, V-SAM, V-SCAN, Multi-BERT, Fiberizer and the V logos are trademarks or registered trademarks of VeEX Incorporated, or one of its affiliates. All other trademarks or registered trademarks are the property of their respective owners.

Some features listed in this document require software options that may require paid activation or license and may or may not be available in all products. VeEX Inc., reserves the right to change product offerings or specifications without notice.